



PRODUCT INFORMATION

Shift+ Base
Folding table and four-legged table.

Folding table:

Structure consisting of a centrally positioned steel tube cross-member with an articulated console. Folding function can be deployed with a two-hand safety actuator under the table top. With a fitting for securing the table top in the horizontal and vertical positions.

Table top made from melamine resin-coated chipboard with glued plastic edge or a rigid CDF fibre board or high-strength solid HPL top. The corners have 25 mm rounding.

Frame consisting of two curved, powder-coated steel tubes and 4 lockable casters.

Table heights acc. to DIN EN 1729.

Function: With the table top folded upright any number of tables can be pushed together to optimize space.

Four-legged table (Cross):




Frame consisting of welded round steel tube legs with set-back rectangular steel tube casing frame, in each case powder-coated. Partly with tube-in-tube hexagon key height adjustment (see table). Tables with 4 plastic, felt or 2C universal glide elements or with glide elements and 4 lockable casters.

Table heights acc. to DIN EN 1729 in fixed heights or with step height adjustment with hexagon screw fastening.

Table top made from melamine resin-coated chipboard with glued plastic edge or a rigid CDF fibre board or high-strength solid HPL top. The corners have 25 mm rounding..

The following material groups are available to choose from: Frame made of steel: M1; Top made of LIGNOpal: L4; Highly compacted plate: L4.

Further products on this page: NF-Move.

| | | | | | |
|--------------------|--|---|---|---------------------|--------------|
| | ISO/DIN EN h = 53 ● 2 h = 59 ● 3 h = 64 ● 4 h = 71 ● 5 h = 76 ● 6 h = 82 ● 7 |  |   | | |
| Shift+ Base | | | | 01445 | 01446 |
| | w-d | | | 140,8-78,8 | |
| | h | | | 2-3-4-5-6-7 (59-82) | 5-6-7 |