



# CC Series

## Greatest Cost Effective Choice for Schools


Introducing the **CC Series** the best choice in performance functionality and budget expectations.

The **upgraded design** has enhanced connectivity and functionality, giving educators **transformational tools** to upgrade their classroom.



### PRODUCT SPECIFICATIONS

Feature's  
Software's  
Display  
Operating System  
Touch System  
Audio System  
Power

I/O Port  
Physical Specifications  
Accessories  
Environmental Conditions  
Statement   
Technical Drawings

# CC Series

## PRODUCT SPECIFICATIONS



## FEATURE'S



## SOFTWARE'S



### Note:

Smartest Whiteboard Application



### Capture:

Enhanced Video Production Tool



### Edu 2.0:

All-In-One and Connected Educational Android OS



### Bytello Class:

Cloud-Based Lesson Delivery Software



### Remote:

Simplifies Campus Management



### Connect:

Remotely Screen Cast and Control the Panel



### ScreenShare-Pro:

Content Collaboration with Different Devices

# CC Series

## PRODUCT SPECIFICATIONS



|                             | 65”                  | 75”                | 86”              |
|-----------------------------|----------------------|--------------------|------------------|
| DISPLAY                     |                      |                    |                  |
| Size                        | 65 inch              | 75 inch            | 86 inch          |
| Panel Type                  | IPS                  |                    |                  |
| Response Time               | 8 ms                 |                    |                  |
| Aspect Ratio                | 16 : 9               |                    |                  |
| Display Area (mm)           | 1428.48 (H) × 803.52 | 1649.664 × 927.936 | 1895.04× 1065.96 |
| Pixel Pitch (mm)            | 0.372 × 0.372        | 0.4296 × 0.4296    | 0.4935 × 0.4935  |
| Resolution                  | 3840 × 2160          |                    |                  |
| Refreshing Frequency        | 60 Hz                |                    |                  |
| Display Color               | 1.07 B (10bit)       |                    |                  |
| NTSC                        | 72%                  |                    |                  |
| Contrast Ratio              | 1200 : 1             |                    |                  |
| Viewing Angle               | 178° (H/V)           |                    |                  |
| Back Light Unit             | DLED                 |                    |                  |
| Brightness with glass (min) | 300 cd/m2            |                    |                  |
| Brightness with glass (typ) | 350 cd/m2            |                    |                  |
| Life Time                   | ≥30000 Hours         |                    |                  |
| OPERATING SYSTEM            |                      |                    |                  |
| System Version              | Android 8.0          |                    |                  |
| CPU                         | Mali G51 × 2         |                    |                  |
| GPU                         | A73 × 2 + A53 × 2    |                    |                  |
| RAM                         | 2 GB                 |                    | 3 GB             |
| ROM                         | 16 GB                |                    | 32 GB            |


# CC Series

## PRODUCT SPECIFICATIONS

|                          | 65”   | 75” | 86”   |
|--------------------------|---|-----|-------|
| TOUCH SYSTEM             |   |     |       |
| Sensing Type             | Infrared recognition  |     |       |
| System                   | Windows10/Windows8/Windows7/Windows XP/<br>Linux/Mac/Android/Chrome |     |       |
| Touch point              | 20 points touch   |     |       |
| Minimum object size      | 3 mm  |     |       |
| Response Time            | ≤10 ms  |     |       |
| Accuracy                 | ±2 mm   |     |       |
| Writing Height           | ≤3 mm   |     |       |
| Interpolation Resolution | 32768(W) × 32768(D)   |     |       |
| AUDIO SYSTEM             |   |     |       |
| Sound Channel            | 2.0   |     |       |
| Output Power             | 2 × 10 W  |     |       |
| POWER                    |   |     |       |
| Power Requirements       | 100 - 240 V ~ 50/60 Hz 5.0 A  |     |       |
| Overall Power (Max.)     | 142 W   |     | 195 W |
| Standby Power            | ≤0.5 W  |     |       |
| I/O PORT                 |   |     |       |
| HDMI IN                  | 3   |     |       |
| HDMI OUT                 | 1   |     |       |
| USB 2.0                  | 3   |     |       |
| USB 3.0                  | 3   |     |       |
| TOUCH 2.0                | 2   |     |       |
| VGA IN                   | 1   |     |       |
| AUDIO IN                 | 1   |     |       |
| AUDIO OUT                | 1   |     |       |
| SPDIF                    | 1   |     |       |
| RS232                    | 1   |     |       |
| RS232                    | 1   |     |       |

# CC Series

## PRODUCT SPECIFICATIONS


|  | 65”               | 75”               | 86”               |
|--|-------------------|-------------------|-------------------|
| PHYSICAL SPECIFICATIONS  |                   |                   |                   |
| Dimension L × H × D (mm)   | 1489 × 897 × 87   | 1710 × 1020 × 87  | 1957 × 1160 × 87  |
| Dimension (pack.) L × W × H (mm)   | 1656 × 204 × 1050 | 1860 × 280 × 1140 | 2112 × 280 × 1283 |
| Thickness of machine and wall mount  | 117 mm (WIB9060G) |                   |                   |
| Wall-hanging Screw Spec  | M8 × 25 mm        |                   |                   |
| VESA (mm)  | 600 × 400         | 800 × 400         |                   |
| Net Weight (kg)  | 38.75             | 53.1              | 67.45             |
| Gross Weight (kg)  | 49.7              | 69.85             | 86.6              |
| ACCESSORIES  |                   |                   |                   |
| Power Cord   | ×1                |                   |                   |
| USB Touch Cable (Type A-B)   | ×1                |                   |                   |
| HDMI Cable   | ×1                |                   |                   |
| Writing Pen  | ×2                |                   |                   |
| Remote Control   | ×1                |                   |                   |
| Battery  | ×2                |                   |                   |
| ENVIRONMENTAL CONDITIONS   |                   |                   |                   |
| Operation Temperature  | 0° - 40° 0° - 40° |                   |                   |
| Operation Humidity   | 10% - 90% RH      |                   |                   |
| Storage Temperature  | -20° -60°         |                   |                   |
| Storage Humidity   | 10% - 90% RH      |                   |                   |
| Altitude   | Below 5000 meters |                   |                   |
| STATEMENT   |                   |                   |                   |
| Size and weight vary by configuration and manufacturing process, please refer to the actual product.   |                   |                   |                   |
| The product images are for illustrative purposes only and may slightly differ in appearance, colour, size, etc. from the actual product.         |                   |                   |                   |
| The description, illustrations, etc. in this document may subject to change in accordance with the latest product specification and performance. |                   |                   |                   |
| Should the above-mentioned change in the document become necessary, the document may be updated without written notice.                          |                   |                   |                   |

# CC Series


## PRODUCT SPECIFICATIONS

### TECHNICAL DRAWINGS


65"



75"



86"



visit our website  
for more

